



GOVERNMENT POLYTECHNIC, DHULE.

PH: 02562-272103. FAX: 02562-272103.

Email ID :- stores.gpdhule@dtmaharashtra.gov.in @gmail.com

office.gpdhule@dtmaharashtra.gov.in @gmail.com

Website : gpdhule.org.in

DUE DATE :- 28/7/17

ENQUIRY NO: GPD/CS/CCTV/2017-18/ 2381

DATE :- 01/07/2017

To,

ENQUIRY LETTER

Shri. S.P. Asutwar, Lecturer in Computer Dept, G.P. Dhule.
for uploading the enquiry on Institute's website & acknowledge the same to Central stores.

Sub:- QUOTATION FOR CCTV CAMERA SURVEILLANCE SYSTEM

List of Materials :- Given below / attached herewith .

Gentleman ,

You are requested to quote your most competitive rates for the equipment's/consumable materials that you can supply. The quotation should be sent in a sealed envelope/cover and marked as "QUOTATION FOR CCTV CAMERA SURVEILLANCE SYSTEM" along with the enquiry no, Due date and the same must reach this office not later than 28/7/17 . The late quotations shall not be considered. You may depute your authorized representatives while opening of quotation on Date :- 29/7/17 .

THE FOLLOWING TERMS & CONDITIONS MAY PLEASE BE NOTED IN THIS CONNECTION WHILE SENDING YOUR QUOTATION.
PLEASE NOTE THAT THE QUOTATIONS HAVING SPECIFICATIONS OTHER THAN OUR REQUIRED SPECIFICATIONS SHALL NOT BE CONSIDERED, SO
PLEASE MAKE SURE THAT YOU QUOTE YOUR COMPETITIVE RATES ONLY AS PER OUR REQUIRED SPECIFICATIONS ONLY.

A. REGARDING MATERIALS.

- 1.) Mention your GST Number and PAN no. in your quotation , else your quotation would be strictly rejected.
- 2.) Quote your most competitive rates on your original letter head of your firms name only as per our required detailed specification items only. Note that the quotations having other than our requirement/specifications shall not be considered.
The trade mark and the quality of origin (confirming to ISI specifications should be offered.) must be specified clearly.
- 3.) Manufacturer's name /its origin , Make and Model etc should be mentioned clearly .The catalogues, technical literature and samples wherever necessary should be forwarded by the supplier along with the quotation.
- 4.) Quotations shall be rejected if found Overwriting in quotation or Quotation sent without the authorized signature etc.
- 5.) Taxes , if applicable, should specifically be mentioned in quotation which shall be as per latest Govt. Rules
- 6.) Rates you quote must be inclusive of all freight, packing forwarding Insurance charges to the Central Stores Govt. Polytechnic, Dhule.
- 7.) Immediately after delivery of goods, the supplier should send his team of expert for Demonstration/ Installation/ Commissioning/Erection/Testing and Checking which shall be carried out free of cost at Govt. Polytechnic, Dhule.
- 8.) The amount of TDS shall be deducted from your total bill amount as per Govt. rules and procedures.
- 9.) If you want you may depute your representative on above mentioned opening date as mentioned above. Later, no excuses shall be entertained thereafter by this institute for quotation opening procedure.
- 10.) The undersigned reserves the right of ordering part quantities without assigning reasons and the supplier shall supply the ordered quantity at accepted rates.
- 11.) Please ensure that the rates are inclusive either fitting/installation charges or must be mentioned separately in the quotation which shall include maintenance and services within the warranty period of the equipment's .

B. VALIDITY OF THE QUOTATIONS:- The quotation must remain valid for a minimum period of six months from our due date of quotation.

C. INSURANCE :- The material will have to be insured for transit risk with the Government insurance finance fund, finance department, Mumbai and not with any other company.

D. DELIVERY TERMS :-

Rates should be free delivery of the material ordered at Central stores, Govt. Polytechnic, Dhule Within the stipulated period mentioned in purchase order. Thereafter penalty of sum of 0.5% of the total amount shall be charged for each week of delay of supply.

E. Warranty clause must be mentioned separately in quotation. The supplier shall ensure that all service calls will be attended by him/his authorized service provider promptly in warranty period and even after the warranty period is over.

F. PAYMENT TERMS :-

1. No advance payment is permissible.
2. Every case will be taken to clear up the bills in a lease possible period, if acceptable material to the agreed specifications mentioned in the purchase order must be supplied immediately without any delay.
3. Dispatched documents must be sent directly to this office and not through any bankers.
4. Material will be strictly rejected if they are not as per our ordered specification and all charges on same will have to be borne by the supplier .

➤ The undersigned reserves the rights to reject any or all quotations without assigning any reasons therefore

PRINCIPAL

GOVT. POLYTECHNIC DHULE



GOVERNMENT POLYTECHNIC, DHULE.

PH: 02562-272103. FAX: 02562-272103.

mail ID :- stores.gpdhule@dtmaharashtra.gov.in@gmail.com

office.gpdhule@dtmaharashtra.gov.in@gmail.com

Website : gpdhule.org.in

REQUIREMENT OF CCTV CAMERA SURVEILLANCE SYSTEM

SR.NO	PARTICULARS	QTY REQD
1.	DOME CAMERA - 2 MP HDCVI IR – 20 MTR SPECIFICATIONS :- <ul style="list-style-type: none">1/2.7" 2 MP HQIS PRO IMAGE SENSOR25/30 fps @ 1080P3.6MM FIXED LENSIR RANGE OF 20 MDC 12V	51
2.	BULLET CAMERAS – 2MP HDCVI IR – 30 MTR SPECIFICATIONS :- <ul style="list-style-type: none">1/2.7" 2 MP HQIS PRO IMAGE SENSOR25/30 fps@1080P6MM FIXED LENSIR RANGE OF 30MIP66, DC 12V	23
3.	BULLET CAMMERA- 2MP HDCVI IR -50 MTR <ul style="list-style-type: none">1/2.7" 2 MP HQIS PRO IMAGE SENSOR25/30 fps@1080PDAY/NIGHT (ICR),AWB,AGC,BLC8MM LENS (12MM OPTIONAL)IR ARRAY RANGE OF 50 MTRIP66	02
4.	4 CHANNEL 720P HDCVI DVR SPECIFICATIONS:- <ul style="list-style-type: none">4 CH.VIDEO,1CH.AUDIO720P RECORDING1 SATA PORT,2USB,1RJ45HDMI/VGA SIMULTANEOUS VIDEO OUTPUTMOBILE SOFTWARE : iCMOB ,gCMOB, wCMOBCMS Software: KVMS.KVMS pro	01
5.	8 CHANNEL 720P HDCVI DVR <ul style="list-style-type: none">SPECIFICATIONS:-8 CH.VIDEO,1CH.AUDIO720P RECORDING1 SATA PORT,2USB,1RJ45HDMI/VGA SIMULTANEOUS VIDEO OUTPUTMOBILE SOFTWARE : iCMOB ,gCMOB, wCMOBCMS Software: KVMS.KVMS pro	03
6.	16 CHANNEL HD DVR SPECIFICATIONS:- <ul style="list-style-type: none">16 CHANNEL VIDEO,1 CH.AUDIO720P/1080N@ (1 25 fps)1 SATA PORT, 2 USB, 1 RJ45HDMI/VGA SIMULTANEOUS VIDEO OUTPUTMOBILE SOFTWARE : iCMOB ,gCMOB, wCMOBCMS Software: KVMS.KVMS pro	04

7.	32 CHANNEL 720P HDCVI DVR SPECIFICATIONS:- <ul style="list-style-type: none"> • 32 CHANNEL VIDEO, 1 CH.AUDIO • 720P@ (1 25 fps) • 2 SATA PORT,2 USB,1 RJ45 • HDMI/VGI/TV SIMULTANEOUS VIDEO OUTPUT • MOBILE SOFTWARE : ICMOB ,gCMOB, wCMOB CMS Software: KVMS.KVMS pro	02
8.	POWER SUPPLY – 5A/12V SMPS INDUSTRIAL GRADE FOR 4CHANNEL	01
9.	POWER SUPPLY – 10A/12V SMPS INDUSTRIAL GRADE FOR 8CHANNEL	03
10.	POWER SUPPLY – 20A/12V SMPS INDUSTRIAL GRADE FOR 16 CHANNEL	04
11.	POWER SUPPLY – SMPS INDUSTRIAL GRADE FOR 32 CHANNEL	02
12.	4+1 COPPER CABLE FOR CCTV	AT ACTUALS
13.	DC / BNC CONNECTORS FOR CCTV CAMERA	228
14.	2 TB HARD DISK SURVEILLANCE (WD PURPLE)	06
15.	4 TB HARD DISK SURVEILLANCE (WD PURPLE)	02
16.	LED MONITOR 32" FOR CCTV SURVEILLANCE SCREEN TYPE: LED ADDITIONAL FUNCTIONALITY :YES SCREEN SIZE: 80CM (32) DISPLAY FEATURE: HD READY DISPLAY RESOLUTION 1366X768 VIDEO ASPECT RATIO: 16:9 DYNAMIC RATIO: DYNAMIC CONTRAST: 2000000:1, CONTRAST: 1200:1 VIEW ANGLE :176 DEGREES ADDITIONAL VIDEO FEATURES :3D COMB FILTER; PICTURE MODE: STANDARD, SOFT, USER, BRIGHT; COLOR TEMPERATURE: STANDARD, WARM, COOL; TV TUNER SYSTEM: PAL D/K,B/G, NTSC M, SECAM I; REAL COLOR ENGINE; ECO DISPLAY; BRIGHTNESS: 280 CD/M SQUARE; RESPONSE TIME: 9 MS; NOISE REDUCTION: OFF/LOW/MIDDLE/HIGH AUDIO SPEAKER :2 SOUND OUTPUT:16WATT ADDITIONAL AUDIO FEATURES : SOUND MODE: STANDARD, MUSIC, MOVIE, USER; BALANCE; BASS; TREBLE CONNECTIVITY HDMI PORTS :2 USB PORTS:2 COMPONENT VIDEO INPUT :1 AUDIO OUT:1 HEADPHONE OUT:YES OTHER CONNECTIONS : TV RF INPUT: 1, AV INPUT: 2 (AV2 COMMON WITH COMPONENT Y), PC INPUT: 1, PC AUDIO INPUT: PLAYBACK FORMAT ADDITIONAL FEATURES : USB PLAY (MOVIE, MUSIC & PHOTO) POWER SPECIFICATIONS POWER SUPPLY : AC 100 TO 240 V, 50/60 HZ POWER CONSUMPTION :55 WATTS POWER CONSUMPTION (STANDBY): LESS THAN OR EQUAL TO 1 WATT DIMENSIONS WIDTH X DEPTH X HEIGHT (WITHOUT STAND):733 X 71 X 433 MM WIDTH X DEPTH X HEIGHT (WITH STAND) :733 X 209 X 480 MM WEIGHT (WITH STAND) :6KG	01

17.	<p>LED MONITOR 22" FOR CCTV SCREEN SIZE:21.5INCH W (547MM) MAXIMUM RESOLUTION::1920X1080 PIXEL PITCH(MM):0.2768MM CONTRAST RATIO(LCD PANEL): 1000:1 DYNAMIC CONTRAST RATIO:20,000,000:1 VIEWING ANGLE HORIZONTAL (CR>10) : 170 DEGREE VIEWING ANGLE VERTICAL (CR<10) :160 DEGREE RESPONSE TIME : 5MS INTERFACES :ANALOG (D-SUB) LUMINANCE:250 CD/M2 COLOURS SUPPORTED:16.7 MILLION FREQUENCY RANGE (HORIZONTAL) : 30 83 KHZ FREQUENCY RANGE (VERTICAL) : 50-75 HZ ADDITIONAL FEATURES WALL MOUNT :VESA 75MM ON SCREEN CONTROLS :LUMINANCE , IMAGE SETUP, COLOUR SETUP,PICTURE BOOST,OSD SETUP, EXTRA ,EXIT MAC COMPATIBILITY: YES APPROVALS AND CERTIFICATIONS: CCSAUS,FCC,CE,TUV-S,TUV-BAUART,ROHS,ENERGY STAR,ISO-9241-307, WINDOWS 7 SPECIAL FEATURES: SUPER SLIM, ULTRA HIGH DCR,E-STAND, DIRECT INSERT,HAIR LINE TEXTURE , E-SAVER,I- MENU,PIANO,POLISH ,OFF TIMER ROHS:YES ENERGY STAR : YES POWER POWER CONSUMPTION : 23W (TYPICAL) OPERATING VOLTAGES : 90-240VAC , 50 /60 HZ OPERATING TEMPERATURE : 0 DEGREE TO 45 DEGREE OPERATING REALATIVE HUMIDITY : 10 TO 85 %</p> <p>DIMENSIONS WXHXDMM(W/O BASE) : 51.18 X79.95X190 GROSS WEIGHT (KG):3.28KG</p>	05
18.	INSTALLATION CHARGES (IF APPLICABLE)	


PRINCIPAL
GOVT.POLYTECHNIC DHULE